PLATTE 56

2ND AMENDMENT TO THE RIVERSIDE PLANNED DEVELOPMENT PLAN

PORTIONS OF TRACT B AND D, BLOCK 1, A PLAT OF RIVER SIDE PLANNED DEVELOPMENT

SITUATED IN THE SOUTHEAST QUARTER OF SECTION 8, TOWNSHIP 5 SOUTH, RANGE 68 WEST OF THE SIXTH PRINCIPAL MERIDIAN,

CITY OF LITTLETON, COUNTY OF ARAPAHOE, STATE OF COLORADO

GREEN LEAF RIVERSIDE II, LLC 588 SAN RAMON VALLEY BLVD., SUITE 2 DANVILLE, CALIFORNIA 94529 925-362-0902 voice CONTACT: MICHAEL O'NEIL

EMAIL: MONEIL@GLRECAP.COM

ARCHITECT

WOODLEY ARCHITECTURE GROUP

731 SOUTHPARK DR., SUITE B

LITTLETON, CO 80120

CONTACT

USES

BUILDING

REQUIRED

BUILDING

REQUIRED

UNOBSTRU SPACE MIN

PARKING I

BUILDING

NUMBER (

DENSITY

MINIMUM LOT SIZE

OWNER

CENTRAL DEVELOPMENT 1660 S. ALBION ST., SUITE 200 DENVER, CO 80222 303-628-0200 voice CONTACT: JEREMY RECORDS

LANDSCAPE ARCHITECT

STACKLOT

5639 S. CURTICE ST.

DEVELOPER / APPLICANT

CIVIL ENGINEER 1500 W. CANAL CT. LITTLETON, COLORADO 80120 720.283.6783 voice CONTACT: MARK CEVAAL, PE #33123

INDEX OF SHEETS EMAIL: MCEVAAL@REDLAND.COM

COVER SHEET OVERALL SITE PLAN SITE PLAN UTILITY PLAN

5 OF 7 ILLUSTRATIVE PLAN LANDSCAPE PLAN

LITTLETON, CO 80120 303-808-4523 voice CONTACT: JUSTIN HAY	LITTLETON, COLORADO 80122 303.713-1898 voice CONTACT: JIM LYNCH, PLS	6 O 7 O

LAND SURVEYOR

AZTEC CONSULTANTS, INC.

300 E. MINERAL AVE., SUITE 1

03-791-1624 voice T: MICHAEL WOODLEY		M LYNCH, PLS 7 OF 7 REZONING MA	AP /
	ZONING COMPARISON CH	ART	W GR
	EXISTING: RIVERSIDE GPDP AMENDED PD-C ZON	PROPOSED: RIVERSIDE GPDP 2ND AMENDMENT PD-R ZONE	HRWNG ST
	PER ALLOWED USES IN PD-C ZONE, SECTION 10-2-23 OF T LITTLETON ZONING CODE	THE 1. MULTI-FAMILY DWELLING UNITS 2. ACCESSORY USES FOR RESIDENTIAL USES PURSUANT TO SECTION 10-3-1 LITTLETON ZONING CODE	
S SETBACKS ED (PERIMETER)	30' FROM INTERSECTIONS 50' FROM RESIDENTIAL	WEST FROM PRINCE STREET R.O.W.: 7.5 FEET NORTH PROPERTY LINE: 5 FEET EAST PROPERTY LINE FROM RIVER: 8 FEET SOUTH PROPERTY LINE: 10 FEET	
S SETBACKS ED (INTERNAL LOTS)	N/A	0 FEET - SEE NOTE 1	
RUCTED OPEN	5.71 AC. OF THE ORIGINAL PD-C LOT AREA OF 8.75 AC. (65	5.3%) 25%	
RATIO	MINIMUM OFF-STREET PARKING SHALL BE PROVIDED IN CONFORMANCE WITH CHAPTER 10 OF THE ZONING ORDII 1981 EDITION.	RESIDENT PARKING: 2 SPACES PER UNIT; VISITOR PARKING: 0.28 SPACES PER UNIT	
HEIGHT	30' MAX. FOR STRUCTURES WITHIN 150' OF SINGLE FAMIL RESIDENTIAL	Y 4-STORY UNITS: 52' MAX. HEIGHT TO TOP OF ROOF 3-STORY UNITS: 48' MAX HEIGHT TO TOP OF ROOF	
OF UNITS	N/A	UP TO 56 UNITS	PROJECT PURPOSE
	N/A	19 UNITS PER ACRE	

CASE # APD16-0001 WEST UNION AVENU W TANFORAN DR VICINITY MAP 1" = 1000'

THE PURPOSE OF THE PROJECT IS TO CHANGE THE ZONING OF THE PROPERTY FROM PD-COMMERCIAL TO PD-RESIDENTIAL INCLUDING

SITE DEVELOPMENT AND DESIGN STANDARDS (CONT.

- TOWNHOMES ADJACENT TO THE GREENWAY SHALL INCLUDE GROUND LEVEL PATIOS AND PORCHES THAT FRONT THE GREENWAY. TOWNHOMES ADJACENT TO S. PRINCE STREET SHALL HAVE THE PRIMARY ENTRANCE FACING S. PRINCE STREET.
- 16. THERE SHALL BE A MINIMUM 2 ACCESS POINTS TO THE GREENWAY THAT ARE ACCESSIBLE TO ALL RESIDENTS OF THE DEVELOPMENT
- 17. SCORED CONCRETE DRIVEWAYS: INTERIOR DRIVEWAYS SHALL BE INTEGRATED COLOR CONCRETE WITH SAW-CUT AND/OR TOOL-JOINTED CONTROL JOINTS TO PROVIDE PATTERNS AND INTEREST. A SANDBLAST FINISH, EXPOSED AGGREGATE AND/OR HEAVY BROOM FINISH SHALL BE USED TO VARY THE TEXTURE OF THE DRIVEWAY PATTERNS TO
- 18. LANDSCAPING: ALL PORTIONS OF THE SITE NOT IMPROVED WITH A RESIDENTIAL UNIT OR IMPROVED FOR PARKING, DRIVEWAYS OR WALKWAYS, SHALL BE LANDSCAPED WITH TREES. SHRUBS, PLANTED GROUND COVER OR OTHER SUITABLE MATERIALS AS APPROVED BY THE CITY
- 19. PATIO SCREENING: SCREENING SYSTEMS AROUND THE PATIO AREAS SHALL BE A BALANCED COMBINATION OF METAL PICKETS, CONCRETE AND/OR MASONRY TO MATCH THE ADJACENT BUILDING FACADES, PATIO SCREEN WALLS SHALL BE A MAXIMUM OF 42" HEIGHT AND ARE TO PROVIDE FILTERED VIEWS INTO AND OUT OF THE PATIO AREAS DEPENDING ON THEIR LOCATION ON THE SITE.
- 20. RETAINING WALLS: RETAINING WALLS SHALL BE CONSTRUCTED USING EARTH-TONE COLOR, CONCRETE BLOCK AND HAVE A SIMILAR ARCHITECTURAL CHARACTER TO THE BUILDING ARCHITECTURE, WHERE RETAINING WALL REQUIRES A HANDRAIL, THE HANDRAILS SHALL BE PAINTED METAL TO MATCH ADJACENT BUILDING COLORS,

ALLOWED USES: MULTI-FAMILY RESIDENTIAL AND SALES OFFICES.

DEPUTY

2. ALLOWED ACCESSORY USES & STRUCTURES: USES AND STRUCTURES CUSTOMARILY ASSOCIATED WITH THE ALLOWED USES

D. PARKING REQUIREMENTS: GARAGE PARKING SHALL BE 2 SPACES PER UNIT AND OFF-STREET PARKING SHALL BE 0.28 SPACES PER UNIT

- 1. PEDESTRIAN CIRCULATION THROUGH THE SITE WILL BE ALLOWED VIA CROSS ACCESS EASEMENTS. ACCESS TO MARY CARTER GREENWAY SHALL BE PROVIDED SUBJECT TO APPROVAL BY PROPERTY OWNER.
- 2. PROJECT SIGNAGE WILL CONSIST OF AN ENTRY SIGN AT THE PRINCE STREET ENTRANCE. SIZE AND LOCATION WILL BE SHOWN ON THE SITE DEVELOPMENT PLAN.

LEGAL DESCRIPTION OF SUBJECT PROPERTY

TRACTS B AND D, BLOCK 1, RIVER SIDE, A PLANNED DEVELOPMENT, AS SET FORTH ON THE PLAT RECORDED JUNE 19, 1986 IN PLAT BOOK 90, PAGE 48, EXCEPT THAT PORTION CONVEYED IN DEED RECORDED APRIL 13, 2004 AT RECEPTION NO. B4065836, COUNTY OF ARAPAHOE, STATE OF COLORADO,

TOGETHER WITH A PORTION OF ADJACENT RIGHT-OF-WAY, AND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS;

BEGINNING AT THE NORTHWEST CORNER OF SAID PORTION OF TRACT D;

THENCE ALONG THE BOUNDARIES OF SAID TRACT B AND D, THE FOLLOWING SIX (6) COURSES;

1. NORTH 47°16'53" EAST, A DISTANCE OF 111.91 FEET;

2. SOUTH 89°53'40" EAST, A DISTANCE OF 163.70 FEET;

3. SOUTH 00°08'47" EAST, A DISTANCE OF 33.98 FEET;

4. SOUTH 88°41'40" EAST, A DISTANCE OF 93.57 FEET;

- 5. SOUTH 46°09'54" EAST, A DISTANCE OF 70.90 FEET TO THE BEGINNING OF A NON-TANGENT CURVE CONCAVE EASTERLY HAVING A RADIUS OF 715.68 FEET, THE RADIUS POINT OF SAID CURVE BEARS SOUTH 69°29'50" EAST;
- 6. SOUTHERLY ALONG SAID CURVE THROUGH A CENTRAL ANGLE OF 31°55'12", AN ARC LENGTH OF 398.71 FEET TO THE NORTHEAST CORNER OF SAID PORTION CONVEYED IN DEED RECORDED APRIL 13, 2004 AT RECEPTION NO. B4065836;

THENCE, ALONG THE NORTHERLY BOUNDARY OF SAID PORTION, THE FOLLOWING THREE (3) COURSES;

- 1. SOUTH 86°40'10" WEST, A DISTANCE OF 124.20 FEET;
- 2. NORTH 69°10'52" WEST, A DISTANCE OF 54.20 FEET;
- 3. NORTH 59°10'55" WEST, A DISTANCE OF 149.71 FEET TO A POINT ON THE WESTERLY BOUNDARY OF SAID TRACT D;
- THENCE, ALONG SAID WESTERLY BOUNDARY, THE FOLLOWING TWO (2) COURSES;

1. NORTH 00°26'00" EAST, A DISTANCE OF 299.04 FEET;

2. NORTH 76°23'40" WEST, A DISTANCE OF 60.25 FEET TO THE POINT OF BEGINNING.

CONTAINING AN AREA OF 3.099 ACRES, (135,012 SQUARE FEET), MORE OR LESS.

PREPARED BY:

JAMES E. LYNCH, PLS NO. 37933 COLORADO LICENSED PROFESSIONAL LAND SURVEYOR FOR AND ON BEHALF OF AZTEC

CONSULTANTS, INC. 300 EAST MINERAL AVENUE, SUITE 1,

LITTLETON, CO 80122 303-713-1898

NOTE: THIS LEGAL DESCRIPTION USES THE EXISTING NORTH PROPERTY LINE.

SITE DEVELOPMENT AND DESIGN STANDARDS

THE MAXIMUM ALLOWED HEIGHT FOR A 3-STORY STRUCTURE SHALL BE 48' FROM FINISHED GRADE TO TOP OF ROOF RIDGE. THE MAXIMUM ALLOWED HEIGHT FOR A 4-STORY STRUCTURE (INCLUDING A 3-STORY UNIT WITH A 4TH-STORY ROOF DECK) SHALL BE 52' FROM FINISHED GRADE TO TOP OF ROOF RIDGE. ANY VARIATION FROM THIS MAXIMUM REQUIRES REVIEW AND APPROVAL BY THE DEVELOPER.

DEVELOPMENT OF TOWNHOMES.

B. BUILDING SETBACKS: WEST FROM PRINCE STREET: 7.5 FEET NORTH: 5 FEET EAST FROM RIVER: 8 FEET SOUTH: 10 FEET INTERNAL: 0 FEET

C. ARCHITECTURAL DESIGN


- 1. THE ARCHITECTURE SHALL CONSIST OF DESIGN COMPONENTS TRUE TO THE ARCHITECTURAL "BALL PARK" STYLE. DRAWING INSPIRATION FROM ICONIC BALL PARKS SUCH AS COORS FIELD IN DENVER, COLORADO, THIS STYLE IS A MODERN YET INVITING AESTHETIC.
- 2. ATTENTION TO THE USE OF DURABLE AND SUSTAINABLE BUILDING PRODUCTS AND DETAILING IS A CRITICAL ELEMENT IN CREATING THE QUALITY AND "LONG TERM" VISION OF THE COMMUNITY.
- 3. VARIED MATERIALS SHALL BE USED, INCLUDING BRICK OR BRICK VENEER (ESPECIALLY AT THE PEDESTRIAN LEVEL), CORRUGATED METAL SIDING, AS WELL AS VERTICAL CEMENTITIOUS SIDING AND LAP CEMENTITIOUS SIDING. VARIED USE OF MATERIALS SHALL BE USED TO EMPHASIZE PLANE BREAKS AND PROVIDE MATERIAL MASSING, AND CAN ALSO BE USED TO ENHANCE FLAT PLANES. CONSIDERATION SHALL BE GIVEN TO THE DESIGN OF UPPER LEVELS AND HOW THESE APPEAR FROM STREETS AND ADJACENT UNITS. ADDITIONALLY, SIDE AND REAR ELEVATIONS OF ALL BUILDING SHALL HAVE "FOUR-SIDED" ARCHITECTURE. MASSING SHALL BE VARIED ON SIDE AND REAR ELEVATIONS, CREATING MOVEMENT, PLANE BREAKS, ROOF BREAKS, AND ARCHITECTURAL INTEREST.
- 4. EACH SIDE OF EVERY BUILDING SHALL INCLUDE ALL OF THE FOLLOWING ELEMENTS:
 - BRICK OR BRICK VENEER AS A FACADE MATERIAL AT LEAST 2 DIFFERENT FACADE MATERIAL TYPES
 - MASSING ARTICULATION WITH AT LEAST 2' PLANE BREAKS
- 5. EACH SIDE OF EVERY BUILDING SHALL INCLUDE AT LEAST TWO (2) OF THE FOLLOWING ELEMENTS:
- SINGLE-STORY ROOF OR PARAPET ELEMENTS EYEBROW ROOFS OVER SELECT WINDOWS
- BOX BAY WINDOWS
- 6. GARAGE SIDES OF EVERY BUILDING SHALL INCLUDE THE FOLLOWING ELEMENT: FROSTED GLASS GARAGE DOORS
- 7. MULTI-FAMILY ATTACHED HOMES WILL BE COMPOSED OF SIMPLE GEOMETRIC RECTANGULAR SOLIDS AS THE MAJOR MASS; ARTICULATED WITH PORCHES, DORMERS, OFFSETS IN WALL PLANES AND OTHER ARCHITECTURAL EMBELLISHMENTS. ROOFS SHALL BE VARIED WHERE APPROPRIATE TO PROVIDE INTERESTING ROOF FORMS - ROOF BREAKS CAN OCCUR AT LOGICAL POINTS SUCH AS TOWER ELEMENTS, PORCHES, ARCHITECTURAL PROJECTIONS, AND UNIT BREAKS. PARAPET WALLS ARE ALSO PART OF THE BALL PARK VERNACULAR AND SHALL BE USED WHERE APPROPRIATE.


8. EXPOSED FOUNDATION WALLS ABOVE 8" FROM GRADE SHALL BE COVERED WITH SIMILAR MATERIALS AS THE WALL ABOVE.


- 9. ROOF MATERIALS EXPOSED ON ELEVATIONS SHALL BE RICHLY TEXTURED AND MAY INCLUDE ASPHALT DIMENSIONAL COMPOSITION (30 YEAR WARRANTY MIN.) SHINGLES, CONCRETE FLAT OR PROFILED TILE, OR STANDING SEAM METAL. THE COLOR OF THE ROOFING CAN VARY FROM BUILDING TO BUILDING OR BE CONSISTENT THROUGHOUT THE NEIGHBORHOOD. COLOR OF ROOFING TO BE CONSISTENT WITH THE COLOR PALETTE OF THE ARCHITECTURAL STYLE.
- 10. APPROVED MATERIALS INCLUDE: CEMENTITIOUS MATERIALS (INCLUDING, BUT NOT LIMITED TO, SIDING, TRIM, FASCIA, SOFFITS)
 - FOAM OR PLASTIC ARCHITECTURAL ELEMENTS (INCLUDING, BUT NOT LIMITED TO, VENTS, SHUTTERS, DECORATIVE COLUMNS) WOOD MATERIALS (INCLUDING, BUT NOT LIMITED TO, SIDING, TRIM, FASCIA, SOFFITS)
- BRICK (CUT OR FULL THICKNESS)
- EXTERIOR RAILINGS METAL, VINYL, WOOD/COMPOSITE METAL SIDING (CORRUGATED OR STANDING SEAM)
- 11. BRIGHT, HIGHLY SATURATED HUES AND FLUORESCENT COLORS ARE NOT ALLOWED AS MAIN (BODY) COLORS, BUT MAY BE USED IN APPROPRIATE QUANTITIES AS ACCENT COLORS SPECIFIC TO THE ARCHITECTURAL ELEVATION STYLE AND BODY COLOR. FASCIA AND SOFFIT COLORS SHALL BE APPROPRIATE TO THE ARCHITECTURAL STYLE AND COLOR PALETTE. DOWNSPOUTS SHALL BE A SIMILAR COLOR TO THE AREA OF WALL OR TRIM UPON WHICH IT IS ATTACHED.
- 12. PATIOS, DECKS, AND ROOF DECKS SHALL BE INCORPORATED INTO THE UNIT DESIGNS AND BE CONSISTENT IN DESIGN WITH THE OVERALL ARCHITECTURE. AT A MINIMUM, EVERY UNIT SHALL INCLUDE:
- a. A GROUND-LEVEL COVERED PORCH AND/OR PATIO A SECOND- OR THIRD-LEVEL OUTDOOR BALCONY ADDITIONALLY, SELECTED UNITS SHALL INCLUDE:
- THIRD- OR FOURTH-LEVEL ROOFTOP DECKS
- 13. TO ENCOURAGE VARIED AND INTERESTING MASSING, CERTAIN APPURTENANCES (SUCH AS ROOF OVERHANGS, STOOPS, AND BAY WINDOWS) MAY ENCROACH INTO THE SETBACKS UP TO 18". END UNITS SHALL PROVIDE INTEREST BY USE OF GLAZING AND MATERIAL BREAKS AS APPROPRIATE. VARIED MASSING, INCLUDING AREAS OF RELIEF AND SETBACK FROM THE STREET SHALL BE PROVIDED WHERE POSSIBLE TO CREATE VISUALLY PLEASING SIDE ELEVATIONS. SOME UNITS SHALL PROVIDE FRONT DOORS OFF THE SIDE ELEVATIONS, CREATING VARIETY TO BUILDING FORMS AND MASSING.
- 14. SITE LIGHTING SHALL BE INTEGRATED INTO THE BUILDING ARCHITECTURE AND SHALL BE APPROPRIATE TO THE ARCHITECTURAL STYLE.

MINERAL ESTATE OWNERS:	
	DE COUNTY TAX ASSESSOR AND THE ARAPAHOE COUNTY CLERK AND RECORDER TION AND HAVE FOUND THAT NO MINERAL ESTATE OWNER IS IDENTIFIED THEREIN
	SIGNATURE OF OWNER AND/OR AGENT
	ADDRESS
OWNER CERTIFICATION:	
DESCRIBED PROPERTY WILL BE DEVELOPED AS A PLEASE CONDITIONS CONTAINED IN THIS PLAN. FURTHER, THE PROPERTY FOR THE PURPOSES OF CONDUCTING IN PROPERTY WITH ON-SITE IMPROVEMENTS INCLUDIN AND TRASH ENCLOSURES. IF, UPON INSPECTION, THE NOTICE, THE DEVELOPER SHALL TAKE APPROPRIAT BY THE CITY SHALL BE GROUNDS FOR THE CITY TO A	OWNER, OR DESIGNATED AGENT THEREOF, DO HEREBY AGREE THAT THE ABOVE PLANNED DEVELOPMENT IN ACCORDANCE WITH THE USES, RESTRICTIONS, AND THE CITY OF LITTLETON IS HEREBY GRANTED PERMISSION TO ENTER ONTO SAID INSPECTIONS TO ESTABLISH COMPLIANCE OF THE DEVELOPMENT OF THE NG, BUT NOT LIMITED TO, LANDSCAPING, DRAINAGE FACILITIES, PARKING AREAS, THE CITY FINDS DEFICIENCIES IN THE ON-SITE IMPROVEMENTS AND, AFTER PROPER TE CORRECTIVE ACTION. FAILURE TO TAKE SUCH CORRECTIVE ACTION SPECIFIED APPLY ANY OR ALL OF ANY REQUIRED FINANCIAL ASSURANCE TO CAUSE THE WITH THIS PD PLAN, OR WITH ANY SUBSEQUENT AMENDMENTS HERETO.
SIGNATURE OF OWNER OR AGENT	
SUBSCRIBED AND SWORN TO BEFORE ME THIS	DAY OF, 20
WITNESS MY HAND AND OFFICIAL SEAL.	
MY COMMISSION EXPIRES	
NOTARY PUBLIC	
CITY ATTORNEY APPROVAL:	
APPROVED AS TO FORM:	
CITY ATTORNEY	
CITY COUNCIL APPROVAL:	
APPROVED THIS DAY OF	, 20, BY LITTLETON CITY COUNCIL.
MAYOR	
ATTEST:	
CITY CLERK	
RECORDING CERTIFICATION:	
	OFFICE OF THE ARAPAHOE COUNTY CLERK AND RECORDER OF COUNTY AT, PAGE, MAP, RECEPTION NUMBER
COUNTY CLERK AND RECORDER	
BY:	

08 01 01











DATE 03.21.2016 06.10.2016 08.31.2016 10.10.2016

TOWNHOMES

RIVERSIDE

5 OF 7



LEGEND

CANOPY TREE

ORNAMENTAL TREE

EVERGREEN TREE EVERGREEN SHRUBS

DECIDUOUS SHRUBS ⊙ ⊙

ORNAMENTAL GRASSES

TURF - BLUEGRASS

NATIVE SEED

---- EDGER: REFER TO SPECIFICATIONS EXISTING TREES TO REMAIN UNLESS OTHERWISE NOTED

PET STATION

FREE STANDING BIKE RACK

POST MOUNTED BBQ

1. LANDSCAPE PLANTING PLAN SHALL MEET THE CITY OF LITTLETON'S GENERAL TREE DIVERSITY GUIDELINES.

- 2. PRIOR TO INSTALLATION OF ANY PLANT MATERIAL, INCLUDING SOD, APPLY A MINIMUM OF 4 CUBIC YARDS OF SOIL AMENDMENT PRODUCT PER 1,000 SQUARE FEET OF PERMEABLE AREA. THE SOIL AMENDMENT PRODUCT APPLIED TO THE PREMISES MUST BE ON THE DENVER WATER APPROVED SOIL AMENDMENT PRODUCT LIST. THIS SOIL AMENDMENT PRODUCT MUST BE INCORPORATED OR ROTOTILLED TO A DEPTH OF 4-6 INCHES. NATIVE GRASS-SEEDED AREAS MAY INCORPORATE AMENDMENT AT A RATE OF 2 CUBIC YARDS PER 1,000 SQUARE FEET.
- 3. A TREE REMOVAL PERMIT WILL BE REQUIRED PRIOR TO START OF ANY TREE REMOVAL. 4. THE 2' SHOULDERS ADJACENT TO CRUSHER FINE ACCESS PATHS SHALL NOT BE IRRIGATED UNLESS IT IS DRIP IRRIGATION. BUSHES AND MULCH ARE ACCEPTABLE IN THE SHOULDERS BUT NOT IRRIGATED SOD OR TURF.
- 5. ALL PLANT QUANTITIES AND LOCATIONS ARE SHOWN FOR ILLUSTRATIVE PURPOSES. THE FINAL PLAN QUANTITIES WILL MEET OR EXCEED THOSE SHOWN ON THIS PLAN.
- 6. THIS LANDSCAPE PLAN IS ILLUSTRATIVE, A FINAL LANDSCAPE PLAN WILL BE SUBMITTED WITH A FINAL PD PLAN.

6 OF 7

TOWNHOMES