Littleton Colorado

Community Development & Public Works

2255 West Berry Avenue Littleton, Colorado 80120 Phone: 303-795-3748

Development Application

Form must be complete and accompany all submittal materials and fees.

Incomplete applications will not be processed.

Date Received:

50	www.littletongov.org	incomplete appl		-//		
APPLICANT/MAIN CONTACT: LISA CROS TON TITLE: OWNER SIGNATURE:						
COMPANY: CUSTOM LIGITIED SIGNS, LLC BOOSS ADDRESS: 4840 VAN GOLDON ST STE 400 WHEATRINGE, CO SUBMITTAL DATE: 3/11/19						
EMAIL: CV5 TO MLTD SIGNS CALA HOO. COMPHONE: 303 292 1882 CELL: 363 995 7355 OWNER(S) OF RECORD: MALK TATE Notarized Letter of Authorization						
OWNER(S) OF RECORD: MAJCIC TATE Notarized Letter of Authorization						
COMPANY: VALERO PIAMONO METRO, IN C THE TROUBLEST OF RECORD. MITTER TO THE TROUBLEST OF THE TROUBLEST O						
with this application						
EMAIL: MTATE @ CINCLE K. COM PHONE: 919.770.3638 at time of submittal						
ENGINEERING CONTACT (if any):	TITLE:					
COMPANY:						
ADDRESS:						
	PHONE		CELL:			
EMAIL:	FHORE					
	207716409020					
Parcel ID Number Parcel Address or Cross Streets:	1500 W LUD					
Subdivision Name & Filing No.: 5TARK BROS WOOPLAW N ADDITION						
Related Case Numbers: (GPDP, 5/4N - 19 · 0004						
Rezoning, and/or Plat)	3140-11 0009	PER REMER AS THE				
		NEESTO ALL PET SEL	DDC	POSED		
	EXISTING	- G	PROPOSED			
Zoning:	B.Z GAS STATION	CAS	GAS STATION			
Use:	CORNER STORE	CIR	CIRCLE			
Project Name:	CULIT ET STOTE	2//.				
Site Area (Acres): Floor Area Ratio (FAR):						
Density (Dwelling Units/Acre):						
Building Square Footage:				A Charles of the Control of the Control		
CASE TYPE						
☐ Site Development Plan	General Planned Development Plan	☐ Administrative Plat of One or Two Lots	r Replat for	Variance: Minor/Majo Sign		
☐ Site Development Plan Amendmer	General Planned Development Plan - Administrative Amendment	□ Preliminary Plat		☐ Board of Adjustment Appeal		
☐ Sketch Plan	General Planned Development Plan - Major Amendment	☐ Final Plat		☐ Rezoning		
☐ Conditional Use	☐ Planned Development Overlay	Floodplain Developm (Use by Special Exce				
Other: SIGNVARIANCE						
Pre-App Meeting Date:	Pre-App Meeting Planner:	Pre-App N	leeting Engine	er:		
This application shall be submitted with all applicable application fees and submittal requirements. Incomplete applications will <u>not</u> be accepted. Submittal of this application does not establish a vested property right. Processing and review of this application may require the submittal of additional information, subsequent reviews, and/or meetings, as outlined in the City of Littleton Municipal Code and operating standards. A neighborhood meeting is required for all applications that require a public hearing. After three (3) months of inactivity, a reminder will be sent to applicants that action						

is required within the next thirty (30) days. At that time, the case will be closed.

VARIANCE REQUEST FORM

PLEASE NOTE: The following questions must be answered completely. If additional space is needed, attach extra pages to the request form. Contact the Littleton Community Development Department at (303) 795-3754 for clarification of terms or for specific zone district requirements.

I, the undersigned, do hereby request a variance from the City of Littleton Municipal Code as set forth in Section 2-3-1 and Section 10-11-2 of the Littleton Municipal Code and amended to date.

Applicant Owner Name: LISA CLOSTON CUSTON LIGHTED SIGNS LCC				
Applicant/Owner Address: 4040 VAN CORDON ST STE 400 WHEATRIPGE, CO 80033				
Subject Property Address: 1599 W LITTLE TON PLVO				
Legal Description:				
Current zoning of subject property 32				
PURPOSE OF THE VARIANCE (Be Specific): INCREASE SOUARE FOOTAGE FOR SIGNAGE BUSINESS IS BEING REBRANDED. EXISTING MONUMENT SIGN ACCOUNTS FOR MORE SIGNAGE THAT IS ALLOWED CURRENTLY, REFACING OF MONUMENT WOULD NOT ALLOW FOR ANY OTHER EXISTING SIGNAGE TO BE CHANGED FOR REBRANDING.				
What unique or exceptional characteristics of your property create a hardship for the				
variance?				
Shape Slope Soil Subsurface				
Elevation Too short Too narrow Too shallow				
Vegetation Buildings/Structure Other (Explain)				
SITE CHARACTERISTICS:				
1. What is the current use of the property?				
2a. What special conditions substantially restrict the effectiveness of the sign in question? Explain: WITH REFAENG OF KLISTING MONUMENT SIGN SOUAKE FOOTAGE CURRENTLY ALLOWED WOULD NOT ALLOW FOR BUILDING, CHS CANOLY OF PUMI TOPPERS TO BE CHANGED TO CURRENT BRAND.				

2b. Are the special conditions particular to your business or property and not businesses in the area more generally? __ No \checkmark Yes

Explain: 514H CHANGES FOR NEW BRAND ARE NOT INCREASING NUMBER OF CURRENT SIGNS ON PROPERTY JUST REPLACING WITH SAME OR SMALLER SIZES WITH NEW BRAND NAME.

3a. Describe how the variance is not injurious to the neighborhood: 5/4NAGE CHANGES
WILL REMAIN SAME 5,2E BR BE REDUCED IN 512E.

3b. Describe how the variance is in harmony with the general purposes of this chapter (see section 10-17-2 of the Littleton City Code)

- (B) Intent: By adoption of this chapter, the City Council intends to create and implement a comprehensive system for the regulation of signs within the scope of this chapter, with a regulation system that: 1) accommodates the expression rights of the First Amendment to the U.S. Constitution and the corollary provisions of the Colorado Constitution; and 2) comports with all applicable principles of Federal and State constitutional, statutory and administrative law.
- (C) Purposes And Interests Served: The purposes of this chapter include, but are not limited to: 1) serving the governmental and public interests in controlling visual clutter, protecting community aesthetics, and safety of drivers, passengers, and pedestrians; 2) aiding in the identification of properties, land uses, and establishments; 3) enhancing the general appearance and aesthetics of the urban environment; and 4) protecting the natural beauty of the City. (Ord. 16, Series of 2018)

4. How is the requested variance the minimum necessary to reasonably draw attention to the business or
enterprise?

Explain why alternative solutions are not feasible:

WEN BLAND IN SOME CASES REDUCING SOUARE FOOTAGE

I (we) certify that all of the above statements and the statements contained in any papers or plans submitted herewith are true and accurate to the best of my knowledge and belief.

Signature of Applicant(s)

Date of Request







6857 S Broadway
Littleton, CO 80122
SITE# 1109

Corner Store to Circle K Branding Level: C

DATE: 03/18/19 CK_C01109_LITTLETON_CO_F




Los Angeles • Knoxville

800-423-4283

www.SignResource.com

SCOPE OF WORK AMID • Reface • Install LED retrofit lighting in all existing cabinets • Repaint existing cabinet, retainers & poles to fuel brand specifications • Install new Circle K illuminated building sign BUILDING • Install new Circle K tri color non illuminated building • Install white backer ACM on top side of fascia • Replace trash cans to Circle K specifications • Repaint building to Circle K specifications (remove wall mounted posters/ frames, paint behind them & reinstall) • Paint bollards to Circle K specifications Paint light poles to Circle K specifications • Install (2) new illuminated Circle K canopy signs CANOPY Install new illuminated Circle K canopy fascia on 3 sides & tri color non illuminated ACM on building side elevation • Install white backer ACM on top side of fascia Paint bollards to Circle K specifications • Paint light poles to Circle K specifications DISPENSERS • Reimage dispensers to fuel brand specifications • Replace trash cans to fuel brand specifications • Paint columns & islands to fuel brand specifications Paint bollards to fuel brand specifications **FORECOURT** • Install pump flags to fuel brand specifications • Paint light poles to Circle K specifications • Paint trash enclosure (always in scope) **ADDITIONAL ENCLOSURE** • Install new Circle K ID decals over old Circle K Logos **ADDITIONAL** • The Ice Coolers are not in the scope of work. SIGNAGE

All Electrical Signs will comply with UL 48 – UL File #E46729



MID

• Reface

97 1/4"


- Install LED retrofit lighting in all existing cabinets
- Repaint existing cabinet, retainers & poles to fuel brand specifications
- All Electrical Signs will comply with UL 48 UL File #E46729


EXISTING

105.35 Sq.Ft

PROPOSED

105.35 Sq.Ft





PANEL REFACE ONLY SCALE 1:32



PANEL REFACE ONLY SCALE 1:32

21" RED ABLE 7-SEGMENT LEDS WINDOW SIZE: 22 1/2" x 56" ← LED DISPLAY: 7.97 SQ. FT.

4" ABLE ALTERNATOR LEDS WINDOW SIZE: 5" x 33 7/8" 1ABO4ALTW 9D

LED DISPLAY: 1.12 SQ. FT.

EXISTING 16" TRACKING FONT PRICERS


(subject to confirmation)


Main I.D.

SIZES SUBJECT TO FINAL FIELD CONFIRMATION PRIOR TO MANUFACTURING

BUILDING FRONT

- Install new Circle K illuminated building sign
- Install new Circle K tri color non illuminated building
- Install white backer ACM on top side of fascia
- Replace trash cans to Circle K specifications
- Repaint building to Circle K specifications (remove wall mounted posters/ frames, paint behind them & reinstall)
- Paint bollards to Circle K specifications
- Paint light poles to Circle K specifications
- All Electrical Signs will comply with UL 48 UL File #E46729





EXISTING


20.00

Sq.Ft

PROPOSED

20.00


Sq.Ft





BUILDING **REAR & SIDES**

- Install new Circle K illuminated building sign
- Install new Circle K tri color non illuminated building
- Install white backer ACM on top side of fascia
- Replace trash cans to Circle K specifications
- Repaint building to Circle K specifications (remove wall mounted posters/ frames, paint behind them & reinstall)
- Paint bollards to Circle K specifications
- Paint light poles to Circle K specifications
- All Electrical Signs will comply with UL 48 UL File #E46729



EXISTING

00.00 Sq.Ft



EXISTING

00.00 Sq.Ft



EXISTING

00.00 Sq.Ft

42'-0" 66"

PROPOSED



PROPOSED

00.00 Sq.Ft

PROPOSED

00.00 Sq.Ft







CANOPY

- Install (2) new illuminated Circle K canopy signs
- Install new illuminated Circle K canopy fascia on 3 sides & tri color non illuminated ACM on building side elevation
- Install white backer ACM on top side of fascia
- Paint bollards to Circle K specifications
- Paint light poles to Circle K specifications
- All Electrical Signs will comply with UL 48 UL File #E46729


SITE OVERVIEW

BUILDING SIDE

36"


HEIGHT OF ACM

--- W Sterne Pkwy --



MID

S Broadway -




EXISTING

12.0 Sq. Ft.



PROPOSED

3'x3' CK ID - 4 Sq. Ft. Logo






IF BIRD SPIKES ARE PRESENT THEY NEED TO BE CAREFULLY REMOVED AND REINSTALLED BY INSTALLER


1:180

DISPENSERS & FORECOURT

- Reimage dispensers to fuel brand specifications
- Replace trash cans to fuel brand specifications
- Paint columns & islands to fuel brand specifications
 Paint bollards to fuel brand specifications
- Install pump flags to fuel brand specifications
- Paint light poles to Circle K specifications

EXISTING






ADDITIONAL ENCLOSURE

• Paint trash enclosure Nuthatch (always in scope)

EXISTING







ADDITIONAL SIGNAGE

• Install new Circle K ID decals over old Circle K Logos

EXISTING



PROPOSED







Circle K:				
Sample	Description	Applied to		
	Primary Red - PMS 485 3M 3630-33	Building Sign Fascia Carwash		
	Primary Orange - PMS 144 3M 3630-3534	Building Sign Fascia Column Flags		
	Safety Red Sherwin Williams - SW 4081	Building Bollards		
	Grays Harbor Sherwin Williams - SW 6236	Canopy Island Base Canopy Bollards		
	White	Building Sign Fascia Light Posts		
	Green - PMS 355 3M 3630-156 "Vivid Green" Vinyl	Diesel Door Skin CK Pricer (Diesel)		
	Blue - PMS 287 3M 3630-157 "Sultan Blue" Vinyl	CK Pricer (Unleaded)		
	Egret White Sherwin Williams - SW 7570	Buildings 30" above grade to top of fascia		
	Neutral Ground Sherwin Williams - SW 7568	Buildings 30" above grade to top of fascia		
	Nuthatch Sherwin Williams - SW 6088	Buildings 30" to grade		

Paint Scheme

ADDITIONAL PAINT SCHEMES:
Will be shown once
the Partner Fuel has
been finalized.

ADDITIONAL PAINT SCHEMES: Will be shown once the Partner Fuel has been finalized.





Circle K Paint Specifications